USER: SIECAW
DATE: Friday, March 17, 2006
DGN: ...\standard\2006\lsp210.dgn

CITY OF LINCOLN NEBRASKA	CITY PROJECT NO.	SHEET NO.
	LSP	1
	Date: 03-2006	Drawn: CAW
	Scale NONE	Checked:
		Approved:



DETAIL OF

SEWER SERVICE CONNECTION



PLAN OF

WASTEWATER SERVICE LOCATIONS

GENERAL NOTES:

SERVICE WYE SHALL BE INSTALLED SO THAT SERVICE CONNECTION IS AT LEAST 45 DEGREES FROM HORIZONTAL

SERVICE LINE SHALL BE EXTENDED VERTICALLY AT PROPERTY LINE AND TERMINATED 5' BELOW FINISHED GRADE

SOLVENT WELDED CONNECTION ARE REQUIRED FOR THE ENTIRE SEWER SERVICE CONNECTION FROM LINE WYE TO THE CAP

MINIMUM GRADE FOR SERVICE LATERAL IS 1/8" PER FOOT (.01' PER FOOT)

PROFESSIONAL CIVIL ENGINEER
THOMAS S. SHAFER
E-10679
STATE OF NEBRASKA

WASTEWATER SERVICE
L.S.P. 210